

EHRLE Coldwater High Pressure Cleaner



KD-Series 4x4

Innovation



EHRLE®
www.ehrle.com

EHRLE Cleaning-Systems Inc.
Siemens Street No. 9
89257 Illertissen/Bavaria-Germany
Tel.: +49 (0)7303-1600-0
Fax: +49 (0)7303-1600-60

made by EHRLE
made in Germany



EHRLE Coldwater High Pressure Cleaner

- ① Chemical Dosing Valve for High-Pressure Detergent
- ② Heavy Duty Switch
- ③ TSS-System with pump off delay; Total Switch off after 20 min
- ④ Unloader Valve for Pressure Regulation
- ⑤ Three piston pump and 1400 rpm, aircooled 4-pole motor
- ⑥ Handle for easy lifting
- ⑦ 4 large rubber Wheels – No small castor
- ⑧ Impact resistant rotation-moulded Chassis and Cover for long durability
- ⑨ Storage Facility for cable and chemical suction hose
- ⑩ Water Break-Tank with 35l capacity
- ⑪ Hose-Reel c/w 15m**/20m High-Pressure Hose
- ⑫ Storage Facility for Trigger-Gun, Spray Wand and Rotary-Nozzle integrated in Chassis
- ⑬ Rotary-Nozzle

* The High-Pressure Pump will absorb detergents directly at the water-tank.
This will increase the total Cleaning-Power by approximately 30%

** only KD 823 4x4

KD-Series 4x4 Quality Features



EHRLE Cleaning-Systems Inc.
Siemens Street No.9
89257 Illertissen/Bayern-Germany
Tel.: +49 (0)7303-1600-0
Fax: +49 (0)7303-1600-60



EHRLE Coldwater High Pressure Cleaner

Description

- Mobile coldwater Unit for professional use
- Impact resistant rotation-moulded Chassis and Cover for long durability
- Triplex-Piston Pump with Brass Pump-Head, Ceramic Plungers and st.st. Valves
- Multi-Storage Facility for Trigger-Gun, Spray-Lance and Rotary-Nozzle integrated in Chassis
- Slow-running and air-cooled electric Motor with 1400 U/min
- Infinitely variable pressure control via intelligent Unloader-Valve Technology
- Water Break-Tank with 35l capacity

Standard Scope of Delivery

- 15m**/20m professional High-Pressure Hose 315 bar NB 8
- Trigger-Gun QC315 with st.st. Spray-Lance, Nozzle and Rotary-Nozzle
- TSS-System: Total-Start-Stop System with Off-Delay
- Unit Total Switch-Off after 20 min
- STR-Version: Professional Hose-Reel with st.st. Shaft and foldable Handle

Technical Data

Type	Waterflow [l/h]	Pressure [bar]	Connected Load [kW]	Order Nr.
KD 823 4x4	260-780	10-130	1~230V-3.1	550
KD 1140 4x4	330-1000	10-250	3~400V-7.9	551
KD 1340 4x4	330-1300	10-180	3~400V-7.9	552
KD 1540 4x4	330-1500	10-280	3~400V-14.0	553
KD 1840 4x4	330-1800	10-220	3~400V-14.0	554

* The High-Pressure Pump will absorb detergents directly at the water-tank.
This will increase the total Cleaning-Power by approximately 30%

** only KD 823 4x4

KD-Series 4x4 Description



EHRLE Cleaning-Systems Inc.
Siemens Street No.9
89257 Illertissen/Bayern-Germany
Tel.: +49 (0)7303-1600-0
Fax: +49 (0)7303-1600-60

